



Net Disc · Grinding Disc
Cutting Wheel · Wheel Paper
Flexible Disc · CNS Dics
Sanding Disc · Abrasives

 **GF Co., Ltd.**

Greetings

GF has the best technology and experience in the abrasive field.
We produce the great quality abrasive products.

We have been successfully supplying abrasive products for heavy industry,
Ship building, and construction fields.
Our proprietary brand GF series is an aggregation of the company's technological
prowess and promising the best quality and performance.

Instead of getting satisfied, we promise to steadfastly endeavor to grow
as a future-oriented corporation that focuses on technical development
and customer satisfaction, thus trusted by the customers.

On behalf of all of the members at GF,
we thank you for the opportunity to earn your business.

Sincerely, Chi GuangHui President
GF Co., Ltd.



To become the world's best company with the best quality!

Company History

1992

Headquarters established in China

1993

Entering the Korean abrasive market

2012

Established abrasive product manufacturing factory in China

2018

Established GF, a Korean corporation

2021

GF moved to Busan T-PLEX



I GF Net Disc

GF Net Disc has flexibility and elasticity and is effective in removing rust, paint, and foreign substances. Useful for heat and chip evacuation generated during grinding.



● Type 27

The product is flat and has a wide surface area, so it can grind a large area at once.



● Type 28

The product is round and has a small area that touches the surface, so it can grind for a long time.

NAME	SPEC	RPM
GF Net Disc	100 × 3T × 16mm	13,600 rpm
	125 × 3T × 22mm	11,600 rpm
	180 × 3T × 16mm	8,600 rpm
	180 × 3T × 22mm	8,600 rpm

To become the world's best company with the best quality!

GF Grinding Disc


GF Grinding Disc is widely used in industrial fields.
Grinds metals, non-metals and etc.



NAME	SPEC	RPM
GF Grinding Disc	4" × 3T × 16mm	15,300 rpm
	4" × 6T × 16mm	15,300 rpm
	7" × 6T × 22mm	7,600 rpm
	7" × 8T × 22mm	8,600 rpm

I GF Cutting Wheel

GF Cutting Wheel is used to cut metal, stone, and etc.
Provides excellent cutting power and smoothness.
It is Excellent for cutting steel and stainless steel.



NAME	SPEC	RPM
GF Cutting Wheel	4" × 1.2T × 16mm	15,300 rpm
	5" × 1.2T × 16mm	12,200 rpm
	7" × 1.2T × 22mm	8,600 rpm
	14" × 3.5T × 25.4mm	4,300 rpm
	16" × 4T × 25.4mm	3,800 rpm

To become the world's best company with the best quality!

GF Wheel Paper

Excellent grinding power and durability.

GF Wheel Paper has two types. Flap Disc and Soft Flap Disc.

GF Flap Disc has a back pad attached, so it is excellent for tough work.


GF Soft Flap Disc is flexible and It is excellent for grinding curved areas.



NAME	SPEC	Grit SIZE	RPM
GF Flap Disc	4" , 68P	40# ~ 80#	1,3000 rpm
	7" , 118P	40# ~ 80#	8,600 rpm
GF Soft Flap Disc	4" , 45P	40# ~ 320#	13,000 rpm
	7" , 80P	40# ~ 80#	8,600 rpm

I GF Flexible Disc

The grinding surface has a lattice pattern and little vibration during grinding.
 It has High grinding speed and excellent durability.
 Excellent for grinding steel, stainless steel, and various alloy base materials.



NAME	SPEC	Grit SIZE	RPM
GF Flexible Disc(SG)	102 × 2.8T × 16mm	36, 60, 80#	15,200 rpm
GF Flexible Disc(WA)	102 × 2.8T × 16mm	36, 60, 80#	15,200 rpm

To become the world's best company with the best quality!

I GF CNS Disc

The combination of fiber strands, resin and silicon carbide abrasive mineral forms a thick, open web. it effectively removes rust, mill scale, coatings, and adhesives from surfaces without altering the base material.



NAME	SPEC	RPM
GF CNS Disc	100 × 16mm	13,000 rpm

I GF Sanding Disc

It is used for grinding various base materials such as wood and steel. It has excellent grinding power and durability for dry work with paper substrate.



NAME	SPEC	Grit SIZE
GF Sanding Disc	125mm × 6H	# 60 ~ 600

I GF Baby Brush



GF Baby Brush is Industrial brush with good durability and work efficiency. Excellent for rust removal and surface decontamination. It can be used in hard-to-reach areas.

NAME	SPEC	NOTE
GF Baby Brush	Wire Length : About 12mm Body Diameter : About 18mm Shank Length : About 12mm	General Iron Material

To become the world's best company with the best quality!

Abrasives

Abrasives are raw materials for various Abrasive products. It is also used for sanding and blasting work. GF Abrasives guarantee the highest quality.



NAME	Grit SIZE
BROWN ALUMINIUM OXIDE	F16-F220
BROWN ALUMINIUM OXIDE(V-A)	F16-F220
BROWN ALUMINIUM OXIDE(V-A)	F16-F220
BROWN ALUMINIUM OXIDE	P24-P220
BROWN ALUMINIUM OXIDE(V-A)	P24-P220
BROWN ALUMINIUM OXIDE(V-A)	P24-P220
BROWN ALUMINIUM OXIDE(V-A)	JIS240-JIS2500
WHITE ALUMINIUM OXIDE	F16-F220
WHITE ALUMINIUM OXIDE	JIS240-JIS2500
PINK ALUMINIUM OXIDE	F16-F220
BLACK SILICON CARBAIDE	F16-F220
BLACK SILICON CARBAIDE	P24-P220
BLACK SILICON CARBAIDE	JIS240-JIS2500
GREEN SILICON CARBAIDE	F16-F220
GREEN SILICON CARBAIDE	JIS240-JIS2500
ZIRCONIA ALUMINIUM OXIDE(ZrO3 25%)	F8-F220
ZIRCONIA ALUMINIUM OXIDE(ZrO3 40%)	P24-P220
BLUE CERAMIC ABRASIVE	P24-P220
WHITE CERAMIC ABRASIVE	P24-P220





 **GF Co., Ltd.**

41, Yutongdanji 1-ro, Gangseo-gu, Busan, Republic of Korea
(Busan T-Plex 107-dong 110, 210)

TEL. 82-51-796-2457 FAX. 82-51-796-2458
WEB. www.galofame.co.kr E-mail. gf@galofame.co.kr